MYSORE RAILWAYS.

MYSORE DIVISION (OPEN LINES).

Notification dated 1st July 1932.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Open Line Division, Mysore Railways, Mysore, up to 3 P.M., on Monday the 25th July 1932, from contractors, who are willing to do the work of construction of sheds for stores in Central Stores, Mysore.

2. Every tender must be accompanied by an earnest money of Rs. 200 which should be paid to the Auditor, Mysore Railways, Mysore, and the receipt thereof enclosed along with the tender.

3. Tenders should be submitted in special forms, which can be obtained from the Executive Engineer, Mysore Railways, Mysore, on payment of Rupee one.

4. Tenders which give rates, as per estimated rates or so much per cent, above or below estimated rates will not be considered.

5. The name of the accepted tenderer will be posted on the Notice Board of the Executive Engineer's Office, soon after the tender is approved. No enquiries regarding the acceptance or rejection of a tender will be replied.

6. The earnest money of the unsuccessful tenderers will be returned as soon as possible after the tenders are disposed of, while that of the successful tenderer will be accepted as part payment towards the security deposit due as per para 7 *infra*.

7. The successful tenderer should deposit with the Auditor, Mysore Railways, Mysore, before he signs the Schedule Agreement 5 per cent of the value of the work for which the tender is accepted as security for due fulfilment of the terms of the agreement.

8. The final acceptance of the tender will rest with the Superintendent, Way and Works, Mysore Railways, Mysore, who does not bind himself to accept the lowest or any tender and who further reserves to himself the right to reject without assigning any reasons therefor, any or all the tenders.

9. Works should be started within two weeks from the date of acceptance of tender and completed before 31st December 1932, with a guaranteed monthly rate of progress. The accompanying Schedule gives the approximate quantity of works and this quantity is not guaranteed.

10. The time limit specified in para 9 should be strictly adhered to and any violation of this will render the contractor liable to forfeit his 5 per cent deposit amount not as a penalty but as ascertained and liquidated damages recoverable accordingly.

11. Plans and specifications and other details of work to be done are available for inspection in the Executive Engineer's Office, Mysore Railways, Mysore, where intending tenderers may call and obtain required information during office hours.

12. In all matters of dispute regarding rates, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Superintendent, Way and Works, Mysore Railways, will be final and legally binding.

13. Contractors should make their own arrangements for water required for the work and departmental water will not be supplied.

SCHEDULE.

Serial No.	Particulars	Unit	Quantity		
			Extending Store block towards north	Providing verandah on the rear side of western Store block	Constructing a shed south of western Store block
1	Earthwork excavation in all soils except hard rock blasting.	1,000 C.ft.	4,110	331	610
2	Concrete of hard stone jelly in sand mortar	100 C.ft.	205	210	186
3	Burnt brick in mortar	100 C.ft.	2,338	882	609
4	Supplying and fixing burnt stone pillar bases 9" x 9" x 9", two line dressed and chamfered.	Each	3	...	...
5	Supplying and fixing burnt stone slabs 6" thick, one line dressed.	S.ft.	135	25	34
6	Teak wood Trusses 25 ft. span including all iron fittings and hoisting, etc., complete as per approved design.	No.	2	...	...

Serial No.	Particulars	Unit	Quantity		
			Extending store block towards North	Providing verandah on the rear side of Western Store block	Constructing a shed South of Western Store block
7	Teakwood wrought and put up including wood oiling.	C.ft.	62·46	...	...
8	Roofing with 1st Class Mangalore pattern tiles on teak reepers 2″ x 1″ including chunam borders and wood oiling reepers, complete with R. M. C. for tiles from Yelahanka.	Sqr.	11·88	...	...
9	Ridge tiles set in mortar (R. M. C. for tiles.)	R.ft.	27	...	...
10	Teakwood battened doors with all fittings complete including brass handles.	S.ft.	28	...	...
11	Teakwood windows with iron bars ¾″ dia. and all fittings complete which includes hinges, tower bolts, hooks and eyes, rings, etc.	,,	80	...	...
12	Removing and refixing windows ...	,,	2	...	...
13	Teakwood ornamental eave board 9″ wide and ¾″ thick including silicate painting	R.ft.	54	...	...
14	Chunam plastering	Sqr.	24·21	...	...
15	White and colour washing, two coats ...	,,	24·21	...	...
16	Flooring with Cuddapah slabs 1½″ thick over 3″ concrete and cement pointing with R. M. C. for slabs.	,,	7·56	...	11,40
17	Supplying and fixing burnt stone slabs 4″ thick, one line dressed and cement pointed.	,,	58	...	...
18	Earthwork excavation in all soils except hard rock near Foundary Shop and Smithy Shops, carting spoil, including lead, filling in basement including spreading, forming and tamping, etc., complete. Measurements will be given as per filling in.	1,000 C.ft.	3,495	12,250	1,415
19	Silicate painting, two coats ...	Sqr.	3·23	3	7
20	Cutting, hoisting and fixing 41¼ lbs. Section Rails supplied Departmentally including carting from P. W. Inspector's stores, Mysore.	R.ft.	...	250	490
21	Preparing, hoisting and fixing T. and L. Iron rafters and purlins with Departmental materials.	Cwt.	...	19	6
22	Roofing with G. I. Sheets, 22 B. W. G. with necessary bolts and nuts including hook bolts, etc., complete with Departmental sheets.	Sqr.	...	18·06	15·48
23	Cement plastering ½″ thick including cost of cement.	,,	...	1·38	...
24	Flooring with 4″ thick burnt stone slabs, one line dressed on 3″ concrete bed and cement pointing with R. M. C. for slabs from Bangalore City.	,,	...	15·12	...
25	Preparing, hoisting & fixing T. Iron rafters in wall including drilling holes in wall and making good with plaster, etc., complete with Departmental T. Iron.	Each	...	11	...
26	Fixing G. I. Ridge sheets supplied Departmentally.	R.ft.	...	...	43

MYSORE DIVISION (OPEN LINES).

Notification dated 2nd July 1932.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Open Line Division, Mysore Railways, Mysore, up to 4 P.M., on Tuesday the 26th July 1932, from contractors who are willing to do the work of Collecting, Stacking and Spreading Stone Ballast on Bangalore, Mysore Railway Section.

2. Every tender must be accompanied by an earnest money of Rs. 200 which should be paid to the Auditor, Mysore Railways, Mysore, and the receipt thereof enclosed along with the tender.

3. Tenders should be submitted in special forms which can be obtained from the Executive Engineer, Mysore Railways, Mysore, on payment of rupee one.

4. Tenders which give rates, as per estimate rates or so much per cent above or below estimate rates, will not be considered.

5. The name of the accepted tenderer will be posted on the Notice Board of the Executive Engineer's Office as soon as it is approved by the Superintendent, Way and Warks Mysore Railways. No enquiries regarding the acceptance or rejection of a tender will be replied.

6. The earnest money of the unsuccessful tenderers will be returned as soon as possible after tenders are disposed of, while that of the successful tenderer will be accepted as part payment towards the security deposit due as per para 7 *infra*.

7. The successful tenderer should deposit with the Auditor, Mysore Railways, Mysore, before they sign the schedule agreement 5 per cent of the value of the work for which the tender is accepted as security for due fulfilment of the terms of the agreement.

8. The final acceptance of the tender will rest with the Superintendent, Way and Works, Mysore Railways, Mysore, who does not bind himself to accept the lowest or any tender and who further reserves to himself the right to reject, without assigning any reasons therefor, any or all the tenders.

9. Work should be started within two weeks from the date of acceptance of tender and completed before the 31st March 1932 with a guaranteed monthly rate of progress. The accompanying schedule gives the approximate quantity of works and this quantity is not guaranteed.

10. The time limit specified in para 9 should be strictly adhered to and any violation of this will tender the contractor liable to forfeit his 5 per cent deposit amount not as a penalty but as ascertained and liquidated damages recoverable accordingly.

11. Specifications and other details of work to be done are available for inspection in the Executive Engineer's Office, Mysore Railways, Mysore, where intending tenderers may call and obtain required information during office hours.

12. In all matters of dispute regarding rates, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Superintendent, Way and Works, Mysore Railways, will be final and legally binding.

Schedule.

I. Collection and stacking of approved quality of hard broken Stone Ballast inside Railway land as per specification noted below. Quantity required at several miles is noted below. Rate should be quoted for 100 C.ft :—

	Quantity to be collected.
Miles 211—7-8 to 232—1-21	1,37,500 C.ft.
Miles 285—15-18 to 292—1-3	10,320 ,,

(1) The ballast should be quartz, burnt stone or any other hard quality approved before collection.

(2) The ballast must be screened to be free from dust and chips.

(3) It must pass through 2" ring in all directions.

(4) The stacks must be 20 ft. x 5 ft. x 2 ft. or multiples thereof and one inch per foot should be added extra for shrinkage.

(5) The stacks should be built on levelled ground in places shown within the Railway boundary.

II. Loading Stone Ballast into trucks and unloading same on tract at different places, for lead not exceeding 20 miles. Per 1,000 C.ft.

MYSORE DIVISION (OPEN LINES).

Notification dated 2nd July 1932.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Open Line Division, Mysore Railways, Mysore, up to 4 P.M., on Friday the 29th July 1932, from contractors who are willing to do the work of construction of a Motor Fire Engine Shed at Mysore Railway Station.

2. Every tender must be accompanied by an earnest money of Rs. 200 which should be paid to the Auditor, Mysore Railways, Mysore, and the receipt thereof enclosed along with the tender.

3. Tenders should be sumbmitted in special forms which can be obtained from the Executive Engineer, Mysore Railways, Mysore, on payment of rupee one.

4. Tenders which give rates, as per estimate rates or so much per cent above or below estimate rates, will not be considered.

5. The name of the accepted tenderer will be posted on the Notice Board of the Executive Engineer's Office as soon as it is approved by the Superintendent, Way and Works, Mysore Railways. No enquires regarding the acceptance or rejection of a tender will be replied.

6. The earnest money of the unsuccessful tenderers will be returned as soon as possible after the tenders are disposed of while that of the successful tenderer will be accepted as part payment towards the security deposit due as per Para 7 *infra*.

7. The successful tenderer should deposit with the Auditor, Mysore Railways, Mysore, before he signs the schedule agreement 5 per cent of the value of the work for which the tender is accepted as security for due fulfilment of the terms of the agreement.

8. The final acceptance of the tender will rest with the Superintendent, Way and Works, Mysore Railways, Mysore, who does not bind himself to accept the lowest or any tender and who further reserves to himself the right to reject, without assigning any reasons therefor, any or all the tenders.

9. Work should be started within two weeks from the date of acceptance of tender and completed before 31st January 1932 with a guaranteed monthly rate of progress. The accompanying schedule gives the approximate quantity of works and this quantity in not guaranteed.

10. The time limit specified in para 9 should be strictly adhered to and any violation of this will render the contractor liable to forfeit his 5 per cent deposit amount not as a penalty but as ascertained and liquidated damages recoverable accordingly.

11. Plans and specifications and other details of work to be done are available for inspection in the Executive Engineer's Office, Mysore Railways, Mysore, where intending tenderers may call and obtain required information during office hours.

12. In all matters of dispute regarding rates, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Superintendent, Way and Works, Mysore Railways, will be final and legally binding.

13. The contractors should make their one arrangements for water required for the work and Departmental water will not be supplied.

Schedule.

Sl. No.	Particulars	Per	Quantity
1	Earthwork excavation in all soils except hard rock blasting.	1,000 C.ft.	2,260
2	Concrete of hard broken stone jelly in sand mortar ...	100 ,,	890
3	Size stone in sand mortar with corners dressed ..	100 ,,	570
4	Burnt brick in sand mortar	100 ,,	1,870
5	Burnt brick in arch work over door	100 ,,	50
6	Burnt stone slabs 6" thick, one line dressed, supplied and fixed.	S.ft.	215
7	Cutting, hoisting and fixing 41¼ lbs. Section rails supplied Departmentally in Permanent way Inspector's Workshop, Mysore.	R ft.	115
8	Preparing, hoisting and fixing iron doors as per approved design with all fittings complete (Iron materials required for shutters and frame will be supplied departmentally).	S.ft.	210
9	Preparing and supplying teakwood shutter with 1½" thick plank for Ash pit.	,,	55

Sl. No.	Particulars	Per	Quantity
10	Preparing and fixing iron ventilators with angle iron frame with Expanded Metal including drilling holes (Iron materials to be supplied Departmentally).	No.	6
11	Preparing, hoisting and fixing M.S. trusses for 15 feet clear span with materials supplied Departmentally.	,,	3
12	Hoisting Departmental R. S. Beams and T. Iron rafters.	Cwt.	16·5
13	Roofing with Asbestos cement sheets supplied Departmentally.	Sqr.	9·50
14	Fixing Departmental Asbestos cement sheet ridging	S.ft.	89
15	Cement plastering ½" thick with contractor's cement...	Sqr.	2
16	Chunam plastering	,,	23.9
17	Supplying and fixing teakwood planks 1" thick for shelves.	S.ft.	230
18	Flooring with 4" burnt stone slabs over 3" concrete bed including cement pointing with R.M.C. for slabs from Bangalore.	Sqr.	3·50
19	Painting two coats with silicate paint	,,	10

Dated 2nd July 1932.

TENDERS FOR THE CONTRACT OF INDIAN REFRESHMENT ROOM ATTACHED TO RAILWAY CENTRAL OFFICES AT MYSORE.

Tenders are invited till 25th July 1932 for running the above Refreshment Room for the convenience of the Staff from 1st July 1932 to 30th June 1933.

The tenderer should clearly specify the amount that he is prepared to pay for the right and also the rate at which the different items of refreshments, etc., will be sold. The tender should be accompanied by an earnest money of Rs. 50 in cash or currency notes. The earnest money will be returned to the unsuccessful tenderer and detained in the case of successful tenderer.

The tenders sealed and superscribed "Tenders for Indian Refreshment Room at Mysore Railway Central Offices" should be sent so as to reach the undersigned on the 25th July 1932, at 2 P.M.

The Railway Administration do not bind themselves to accept the highest or any tender or assign any reason for rejecting the tender.

The successful tenderer must pay the amount of contract within seven days of acceptance of the contract and execute an agreement failing which the right will be resold at his risk.

The successful tenderer must be ready to accept any fine or penalty that the Executive Engineer, Mysore Railways, may impose upon him for selling any preparation or exhibition thereof in the Refreshment Room which may be considered to be injurious to health.

The successful tenderer will sign the usual Agreement Form copies of which are available in the Executive Engineer's Office, Mysore Railways, Mysore.

The successful tenderer must pay to Railway Department a rent of rupee one per month for the building.

A. VISWANATH,
Executive Engineer.

OFFICE OF THE DISTRICT TRAFFIC SUPERINTENDENT, BANGALORE.

*Notification No. G.*240—30, *dated 2nd July* 1932.

It is hereby notified for the information of the public that the right to vend fruits, cocoanuts, cigarettes, etc., on the platform at Closepet station will be resold by public auction by the Traffic Inspector, Bangalore, on 10th July 1932, at 10 hours for the year 1932-33.

The contract is only for the sale of fruits, cocoanuts, ærated waters, etc., but not for refreshments, tea, coffee, etc.

2. The successful bidder should deposit, immediately after the auction, the full amount plus annas ten extra for contract agreement bond.

3. The Railway administration do not bind themselves to accept the highest or any bid or assign any reason for rejecting the bid.

4. The successful biddder should execute the prescribed agreement copies of which may be obtained from the undersigned.

5. The acceptance of the bid at the time of auction by the Traffic Inspector is only provisional subject to confirmation by the undersigned.

H. RANGACHAR,
District Traffic Superintendent.

GUBBI SUB-DIVISION.

Notification No. Ex. C. 6--30-31, *dated 29th June*--1*st July* 1932.

In exercise of the powers conferred by clause 7 of general conditions in Part III of Government Notification No. Fl. 5515—Ex. 78-29-2, dated 17th February 1930, (and in confirmity with Deputy Commissioner's No. 449-66, dated 1st November 1934) ; notice is hereby given for the information of all the Excise and Opium Licensees of Gubbi Sub-Division that the undermentioned quantities are prescribed as the minimum stock to be maintained in the several Excise and Opium Shops.

Particulars	Arrack	Special Liquors	Ganja		Opium		Toddy
	Minimum	Minimum	Minimum	Maximum	Minimum	Maximum	
	Gallons.	Gallons.	Tolas	Seers	Tolas	Seers	Stock equal to one day's consumption.
1. Taluk headquarters ..	2	2	20	3	10	1	
2. Village shops	1	—	10	2	..	..	
BONDED DEPOTS.							
1. Tiptur	75	10	..	..	..	..	

T. VENKATARANGAN,
Sub-Division Officer,

CHITALDRUG SUB-DIVISION.

Notification dated 29th June 1932.

All the Excise and Opium licensees of the Chitaldrug Sub-Division for the year 1932-33, should maintain stocks in their shops as noted hereunder as per general condition 7 of the sale Notification. :—

Particulars	Arrack	Special liquor	Ganja		Opium		Toddy
	Minimum	Minimum	Minimum	Maximum	Minimum	Maximum	Minimum
	Gallon	Gallon	Totals	Seers	Tolas	Tolas	Seers
Chitaldrug Town ..	2	1	30	3	10	55	80
Taluk head-quarters ..	1	..	15	2	6	50	40
Village Shops ..	½	..	10	2	..	..	8

G. N. NAGARAJA RAO,
Assistant Commissioner.